APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/435,070	11/04/1999	BALARAM SINHAROY	AT9-98-544	4716

7590   05/17/2004

JAMES J MURPHY
5400 RENAISSANCE TOWER
1201 ELM STREET
DALLAS, TX 752702199

EXAMINER
WOOD, WILLIAM H

ART UNIT	PAPER NUMBER
2124	

DATE MAILED: 05/17/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on _04 March 2004_.

2a)☒ This action is **FINAL.**   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) _10, 21-40_ is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _10, 21-40_ is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____.

DETAILED ACTION

Claims 10 and 21-40 are pending and have been examined.

Claim Rejections - 35 USC § 103

1.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

2.   Claims 10 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Patt et al., "Alternative Implementations of Hybrid Branch Predictors" in view of

Talcott et al. (USPN 6,289,441) and in further view of Shimomura et al. (USPN

5,737,381).

In regard to claim 10, Patt disclosed the limitations:

* *A processing system comprising:*

    * *a first branch history table comprising a plurality of bimodally accessed*

      entries for storing a first set of branch prediction bits (page 253; item 2

      under section 3.1);

    * *a second branch history table comprising a plurality of entries for storing a*

      second set of branch prediction bits (page 253, item 4, under section 3.1);

    * *a selector for selecting in response to a selection control bit selected from*

      a set of selection control bits, a bit from a selected one of said sets of bits

> *accessed from said first and second branch history tables* (page 255,
>
> section 4, 4.1 and Figure 2); *and*
>
> ◆ *a selector table comprising a plurality of entries for storing said a set of*
>
>   *selector bits as a function of a performance history of said first and second*
>
>   *sets of branch prediction bits stored in said first and second branch history*
>
>   *tables, wherein said each said entry in said tables comprises a 1-bit*
>
>   *counter* (page 252, section 2; page 255, section 4, 4.1 and Figure 2; a 2-
>
>   bit counter would naturally "comprise" a 1-bit counter).

Patt did not explicitly state *fetch-based branch history table*. **Talcott** demonstrated that

it was known at the time of invention to construct fetch-based branch history tables

wherein a table produces a prediction value for multiple branches within a fetch group

(column 3, line 58 to column 4, line 25). It would have been obvious to one of ordinary

skill in the art at the time of invention to implement **Patt**'s branch prediction scheme with

fetch groups as found in **Talcott**'s teaching. This implementation would have been

obvious because one of ordinary skill in the art would be motivated to increase branch

prediction accuracy for many instructions, which is increasingly necessary for

superscalar pipeline designs *(column 2, lines 3-7; column 1, lines 54-67)*.

Neither **Patt** nor **Talcott** explicitly stated entries comprising a 1-bit counter.

Shimomura demonstrated that it was known at the time of invention to implement 1-bit

counters (Figures 1-5 and 7-9). It would have been obvious to one of ordinary skill in

the art at the time of invention to implement the counters of **Patt** and **Talcott** as 1-bit

counters as taught by **Shimomura**'s teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to implement a simple design structure for easy understanding or implement less hardware to save space and thus money (**Talcott**: column 4, lines 15-19, implementing a counter for each instruction would imply a need to save space and cost, by using less hardware).

In regard to claim 30, Patt and Talcott did not explicitly state the limitation *wherein said each said entry in said tables comprises a 1-bit counter.* Shimomura demonstrated that it was known at the time of invention to implement 1-bit counters (Figures 1-5 and 7-9). It would have been obvious to one of ordinary skill in the art at the time of invention to implement the counters of Patt and Talcott as 1-bit counters as taught by Shimomura's teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to implement a simple design structure for easy understanding or implement less hardware to save space and thus money (Talcott: column 4, lines 15-19, implementing a counter for each instruction would imply a need to save space and cost, by using less hardware).

3.   Claims 28-29 and 31-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Patt** et al., "Alternative Implementations of Hybrid Branch Predictors" in view of **Talcott** et al. (USPN 6,289,441).

In regard to claim 28, **Patt** disclosed the limitations:

- *A processing system comprising:*

    - *a first branch history table comprising a plurality of bimodally accessed entries, each entry for storing a first set of branch prediction bits* (page 253; item 2 under section 3.1);

    - *a second branch history table comprising a plurality of entries each entry for storing a second set of branch prediction bits* (page 253, item 4, under section 3.1);

    - *a selector for selecting, in response to a plurality of selection control bits, a set of prediction bits from a selected one of said sets of bits accessed from said first and second branch history tables* (page 255, section 4, 4.1 and Figure 2); *and*

    - *a selector table comprising a plurality of entries, each entry for storing a plurality of selection control bits wherein the selection control bits are set as a function of a performance history of corresponding first and second sets of branch prediction bits stored in said first and second branch history tables* (page 255, section 4, 4.1 and Figure 2; page 252, section 2; each bit enables the selection of the single predictor in that it is part of the counter)

Patt did not explicitly state *fetch-based branch history table*. **Talcott** demonstrated that it was known at the time of invention to construct fetch-based branch history tables wherein a table produces a prediction value for multiple branches within a fetch group (column 3, line 58 to column 4, line 25). It would have been obvious to one of ordinary

skill in the art at the time of invention to implement **Patt**'s branch prediction scheme with fetch groups as found in **Talcott**'s teaching and thus produce a table with entries which represent predictions for each instruction in a group. This implementation would have been obvious because one of ordinary skill in the art would be motivated to increase branch prediction accuracy for many instructions, which is increasingly necessary for superscalar pipeline designs (column 1, lines 54-67).

In regard to claim 29, **Patt** did not explicitly state the limitation *wherein said entries of said selector table are accessed using fetch-based accessing*. **Talcott** demonstrated that it was known at the time of invention to construct fetch-based branch history tables wherein an entry represents a prediction value for multiple branches within a fetch group (column 3, line 58 to column 4, line 25). It would have been obvious to one of ordinary skill in the art at the time of invention to implement **Patt**'s single predictor selector mechanism with fetch groups as found in **Talcott**'s teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to increase branch prediction accuracy for many instructions, which is increasingly necessary for superscalar pipeline designs (**Talcott**: column 1, lines 54-67).

In regard to claim 31, **Patt** and **Talcott** did not explicitly state the limitation *wherein said first and second branch history tables and said selector table form a portion of a branch execution unit* (**Talcott**: Figure 1, element 100).

In regard to claim 32, **Patt** and **Talcott** further disclosed the limitation *wherein said branch execution unit forms a part of a microprocessor* (**Patt**: Abstract indicates superscalar processors).

In regard to claim 33, **Patt and Talcott** did not explicitly state the limitation *further comprising memory coupled to said microprocessor.* Offical Notice is taken that it was known at the time of invention to couple memory to a microprocessor. It would have been obvious to one of ordinary skill in the art at the time of invention to implement the processor of **Patt** with memory couple to it. This implementation would have been obvious because one of ordinary skill in the art would be motivated to provide a store of data and instructions for which a processor can operate, in excess of the comparatively small amount of data and instructions stored directly within the processor.

In regard to claim 34, **Patt** disclosed the limitations:

- *A method of performing branch predictions in a processing system including a bimodal branch history table, a branch history table and a selector table, the method comprising the substeps of:*

    - *accessing the bimodal branch history table to retrieve a first set of branch prediction bits* (page 253, item 2 under section 3.1);

    - *accessing the branch history table to retrieve a set of second branch prediction bits* (page 253, item 4 under section 3.1);

- *selecting between the first and second sets of branch prediction bits in response to corresponding bits retrieved from the selector table* (page 255, section 4, 4.1 and Figure 2; page 252, section 2); *and*

- *updating the selector table as a function of actual branch resolution* (Patt: page 252, section 2, first paragraph)

Patt did not explicitly state *fetch-based branch history table* with each entry *operable for containing bits representing a prediction value for a plurality of branches in a fetch group.* **Talcott** demonstrated that it was known at the time of invention to construct fetch-based branch history tables wherein a table produces a prediction value for multiple branches within a fetch group (column 3, line 58 to column 4, line 25; column 4, lines 15-18). It would have been obvious to one of ordinary skill in the art at the time of invention to implement **Patt**'s branch prediction scheme with fetch groups as found in **Talcott**'s teaching and thus produce a table with entries which represent predictions for each instruction in a group. This implementation would have been obvious because one of ordinary skill in the art would be motivated to increase branch prediction accuracy for many instructions, which is increasingly necessary for superscalar pipeline designs (column 1, lines 54-67).

Patt and **Talcott** did not explicitly state *wherein a sum of a number of bits in the first set of branch prediction bits and a number of bits in the second set of branch prediction bits is not less than a number of instructions in a fetch group.* **Talcott** demonstrated that it was known at the time of invention to construct fetch groups (column 3, line 58 to

column 4, line 25). It would have been obvious to one of ordinary skill in the art at the time of invention that an implementation of the combination with **Talcott**, if one prediction bit came from the first table and one bit came from the second table it would not be less than the instructions in a fetch group if that group were composed of two instructions. This implementation of two instructions in a fetch group would have been obvious (over a larger number) because one of ordinary skill in the art would be motivated to develop systems of reduced instruction throughput to alleviate complexity. Furthermore, this implementation would have been obvious because one of ordinary skill in the art would recognize the most straight-forward (easiest) implementation (an entry in both tables containing values for all instructions in the fetch group) would in effect have a sum greater (no less than) than the number of instructions in a fetch group.

In regard to claim 35, **Patt** and **Talcott** further disclosed the limitations:

  ◆ *wherein said step of updating the selector table comprises the substeps of:*

    ◆ *determining if at least one of the first set of branch prediction bits correctly predicts the corresponding branch resolution outcome* (**Patt**: page 252, section 2);

    ◆ *updating the corresponding entry in the selector table to a first logic value when the at least one of the first set of prediction bits correctly represents the branch resolution outcome* (**Patt**: page 252, section 2);

- *determining if at least one of the second set of branch prediction bits correctly predicts the branch resolution outcome* (**Patt**: page 252, section 2); *and*

- *updating the corresponding entry in the selector table to a second logical value when the at least one of the second set of branch prediction bits correctly represents the branch resolution outcome* (**Patt**: page 252, section 2).

In regard to claim 36, **Patt** and **Talcott** further disclosed the limitations:

- *determining if at least one bit of both the first and second sets of branch history bits correctly predict the branch resolution outcome* (**Patt**: page 252, section 2);

- *maintaining the current value of corresponding bits in the corresponding selector table entry when the at least one bit of both the first and second sets of branch prediction bits correctly predict the branch resolution outcome* (**Patt**: page 252, section 2);

- *determining if at least one bit of both the first and second sets of branch prediction bits incorrectly predict the branch resolution outcome* (**Patt**: page 252, section 2); *and*

- *maintaining the current value of corresponding bits in the corresponding selector table entry when the at least one bit of both the first and second sets*

of branch history bits incorrectly predict the branch history outcome (**Patt**:

page 252, section 2).

In regard to claim 37, **Patt** and **Talcott** further disclosed the limitations:

*   *determining whether at least one bit of both the first and second sets of*

    branch prediction bits correctly predict the branch resolution outcome (Patt:

    page 252, section 2);

*   *maintaining the current value of corresponding bits in the corresponding*

    selector table entry when at the least one bit of both the first and second sets

    of branch prediction bits correctly predict the branch resolution outcome (Patt:

    page 252, section 2)

Patt and **Talcott** did not explicitly state the limitation *updating the current selector table*

entry to a logic value associated with the fetch-based branch history table when neither

of corresponding bits of the first and second sets of branch prediction bits correctly

predicts the branch resolution outcome. However, **Patt** did demonstrate that it was

known at the time of invention that two-level branch prediction is the highest

performance of the single predictors (page 253, first paragraph under bulleted items). It

would have been obvious to one of ordinary skill in the art at the time of invention to

implement the **Patt** and **Talcott** selector table of single branch predictors with recording

the fetch-based (or two level) table as the default choice when neither choice is correct

as suggested by **Patt**'s own teaching. This implementation would have been obvious

because one of ordinary skill in the art would be motivated to gradually adjust the

predictor to the more likely correct future choice, especially if there is no evidence not to make such an adjustment (i.e. neither predictor proving accurate).

In regard to claim 38, Patt and Talcott further disclosed the limitation *wherein said step of accessing the fetch-based branch history table comprises the substep of generating an address from at least some bits of a branching instruction and bits retrieved from a history register* (Patt: page 253, fourth bulleted item).

In regard to claim 39, Patt and Talcott further disclosed the limitation *wherein the history register comprises a shift register* (Patt: page 253, fourth bulleted item; page 255, Figure 2 and sections 4 and 4.1).

4.   Claims 21-27 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Patt** et al., "Alternative Implementations of Hybrid Branch Predictors" in view of **Talcott** et al. (USPN 6,289,441) and in further view of **McFarling**, "Combining Branch Predictors".

In regard to claim 21, **Patt** disclosed the limitations:

- *Branch prediction circuitry comprising:*
    - *a bimodal branch history table comprising a plurality of entries each for storing a prediction value and accessed by selected bits of a branch address* (page 253, item 2 under section 3.1);

●   *a branch history table comprising a plurality of entries for storing a*

prediction value and accessed by a pointer generated from selected bits of

said branch address and bits from a history register (page 253, item 4

under section 3.1)*; and*

●   *a selector table comprising a plurality of entries each for storing plurality of*

selection bits and accessed by a pointer generated from selected bits from

said branch address and bits from said history register (page 255, section

4, first paragraph and section 4.1, last paragraph; page 255, right column ,

second paragraph, demonstrates pointer being generated; Figure 2)*, each*

said selector bit used for selecting between a bimodal prediction value

accessed from the bimodal history table and a prediction value accessed

from said fetch-based history table (page 252, section 2; page 255,

section 4.1, first paragraph; page 252, section 2; each bit enables the

selection of the single predictor in that it is part of the counter).

Patt did not explicitly state *fetch-based branch history table* with each entry *operable for*

containing bits representing a prediction value for a plurality of branches in a fetch

group. **Talcott** demonstrated that it was known at the time of invention to construct

fetch-based branch history tables wherein a table produces a prediction value for

multiple branches within a fetch group (column 3, line 58 to column 4, line 25; column 4,

lines 15-18). It would have been obvious to one of ordinary skill in the art at the time of

invention to implement **Patt**'s branch prediction scheme with fetch groups as found in

Talcott's teaching and thus produce a table with entries which represent predictions for

each instruction in a group. This implementation would have been obvious because

one of ordinary skill in the art would be motivated to increase branch prediction

accuracy for many instructions, which is increasingly necessary for superscalar pipeline

designs (column 1, lines 54-67).

Patt did not explicitly state *wherein each fetch group is represented by a bit in the*

history register. However, **Talcott** demonstrated that it was known at the time of

invention to XOR the branch history register and the current fetch address (column 3,

lines 58-63) and that the current fetch address can more accurately be referred to as

the fetch bundle address (column 3, lines 1-7). **McFarling** demonstrated a history

register recording the direction of the most recent *n* conditional branches (page 6,

section 5, fourth sentence). It would have been obvious to one of ordinary skill in the art

at the time of invention to implement the history register of **Talcott** with a register

recording each fetch group as suggested by **McFarling** and **Talcott**'s teachings. This

implementation would have been obvious because one of ordinary skill in the art would

be motivated to provide a history register which corresponds to "fetch group branch

prediction" (column 1, line 63 to column 2, line 10). **Talcott** describes "fetch group

branch prediction" using the concepts of a branch history register as in **McFarling**. In

McFarling one instruction is fetched and applied to the history register (page 12, figure

10). **Talcott** is fetching a group and applying that group the history register (column 3,

lines 58-63). Thus, it would have been obvious to implement **Talcott** with a history

register designed for fetch groups.

In regard to claim 22, **Patt** and **Talcott** did not explicitly state the limitations:

- *circuitry for updating said bimodal and fetch-based branch history tables operable to:* .

  - *set a corresponding entry in each of said bimodal and fetch-based branch history tables to a first value when a branch is taken at branch resolution time; and*

  - *set a corresponding entry in each of said bimodal and fetch-based branch history tables to a second value when a branch is not taken at branch resolution time.*

Patt demonstrated that it was known at the time of invention to utilize the most accurate branch prediction (page 255, section 4 and section 4.1, right column, top two paragraphs). It would have been obvious to one of ordinary skill in the art at the time of invention to implement **Patt** and **Talcott**'s hybrid branch prediction as updating entries in each of the bimodal and fetch-based tables with one or another value based upon the accuracy of prediction as suggested by **Patt**'s own teachings. This implementation would have been obvious because one of ordinary skill in the art would be motivated to provide an accurate history as to which type of single predictor is correct in order to be more successful in future predictions.

In regard to claim 23, **Patt** and **Talcott** did not explicitly state the limitation *wherein said history register comprises a shift register and said branch prediction circuitry further*

comprises circuitry for updating said shift register by shifting in a preselected prediction value for each fetch group. **McFarling** demonstrated that it was known at the time of invention to implement a hybrid branch prediction system with a *shifting* history register (page 6, section 5, first paragraph; pages 11-12, section 7). It would have been obvious to one of ordinary skill in the art at the time of invention to implement the hybrid branch system using fetch groups of **Patt** and **Talcott** with a shift register for the history register as found in **McFarling**'s teaching. This implementation would have been obvious because one of ordinary skill in the art would be motivated to make use of existing (and thus well understood) technology when implementing hybrid branch predictors (further considering claim 21 above).

In regard to claim 24, **Patt** and **Talcott** further disclosed the limitations:

- *circuitry for updating said selector table operable to:*

- *update a corresponding bit in a selected entry in said selector table with a first value when a bimodal prediction value from said bimodal branch history table correctly represents a corresponding branch resolution* (**Patt**: page 252, section 2, first paragraph)*; and*

- *update a corresponding bit in a selected entry in said selector table with a second value when a fetch-based prediction-value from said fetch-based branch history table correctly represents the corresponding branch resolution* (**Patt**: page 252, section 2, first paragraph).

In regard to claim 25, **Patt, Talcott** and **McFarling** further disclosed the limitation
*wherein the plurality of selection bits are operable for selecting a first subset of
prediction values from the bimodal branch history table and a second subset of
prediction values from the fetch-based branch history table* (**Patt:** page 252, section 2;
clearly the selector selects one branch predictor when it is useful and the other when it
is useful).

In regard to claim 26, **Patt** and **Talcott** further disclosed the limitation *wherein said
circuitry for updating said selector table is further operable to*

 * *maintain a value in a selected entry in said selector table when corresponding
   values from said bimodal and fetch-based branch history tables both correctly
   represent a corresponding branch resolution* (**Patt:** page 252, section 2, first
   paragraph), *and*
 * *wherein said circuitry for updating said selector table is further operable to
   maintain a value in a selected entry in said selector table when neither values
   from said bimodal and fetch-based branch history tables correctly represent a
   corresponding branch resolution* (**Patt:** page 252, section 2, first paragraph).

In regard to claim 27, **Patt** and **Talcott** did not explicitly state the limitation *wherein said
circuitry for updating said selector table is further operable to set a value in a selected
entry in said selector table to a value associated with said fetch-based table when
corresponding values from said bimodal and fetch based branch history tables both do*

not correctly predict a corresponding branch resolution outcome. However, **Patt** did

demonstrate that it was known at the time of invention that two-level branch prediction is

the highest performance of the single predictors (page 253, first paragraph under

bulleted items). It would have been obvious to one of ordinary skill in the art at the time

of invention to implement the **Patt** and **Talcott** selector table of single branch predictors

with recording the fetch-based (or two level) table as the default choice when neither

choice is correct as suggested by **Patt**'s own teaching. This implementation would have

been obvious because one of ordinary skill in the art would be motivated to gradually

adjust the predictor to the more likely correct future choice, especially if there is no

evidence not to make such an adjustment (i.e. neither predictor proving accurate).

In regard to claim 40, **Patt** and **Talcott** did not explicitly state the limitation *wherein said*

method further comprises the steps of updating the shift register by shifting in a

prediction bit for each fetch group. **McFarling** demonstrated that it was known at the

time of invention to implement a hybrid branch prediction system with a *shifting* history

register (page 6, section 5, first paragraph; pages 11-12, section 7). It would have been

obvious to one of ordinary skill in the art at the time of invention to implement the hybrid

branch system using fetch groups of **Patt** and **Talcott** with a shift register for the history

register as found in **McFarling**'s teaching. This implementation would have been

obvious because one of ordinary skill in the art would be motivated to make use of

existing (and thus well understood) technology when implementing hybrid branch

predictors (further considering the **McFarling** rejection under claim's 21 and 23 above).

Response to Arguments

5.   Applicant's arguments filed 04 March 2004 have been fully considered but they

are not persuasive. Applicant argued:

i) Against the rejections of claims 10 and 30 in that (page 8 of paper received 04

March 2004): [1] no motivation to combine **Patt** and **Talcott**; [2] no expectation of

success in modifying **Patt**; [3] two-bit counter does not comprise a one-bit counter; [4] **Patt**

cannot be modified as suggested; [5] **Patt** and **Talcott** are aware of reasons not to use a

one-bit counter; and [6] the **Patt** and **Talcott** combination changes the principle operation

of the references. First, the stated motivation is found in at least **Talcott**'s column 2,

lines 3-7. Second, expectation of excess will be shown through the following three

points. Third, **Shimomura** illustrates the building of multi-bit counters from one-bit

counters and thus "comprising". Though, it is not immediately clear how Applicant's

"bicycle" example (a mechanical transportation device) applies to the microprocessor

architecture of the current invention, it can clearly be said that a two-bit counter

comprises or is made up of two one-bit counters (see **Shimomura**). A bicycle is *not*

comprised or made of two unicycles (a bicycle comprises two wheels). The argument of

output bit from a one-bit counter verses a two-bit counter do not change the simple

comprising fact stated (and provided for under the broadest reasonable interpretation of

Applicant's claims). All of this being beside the point in view of **Shimomura** (the validity

of, Applicant does not question). Additionally, Applicant's discussion of output bits

becomes null when the purpose of the counter is considered. As long as the counter's

purpose is to track two outcomes, a one-bit counter will suffice. Fourth, **Patt** can be modified. Applicant argues two-bit counters are required for two-level prediction scheme (page 10 of reply received 4 March 2004). This simply isn't stated anywhere within **Patt**. **Patt** does state using two-bit counters and providing two-level predictor selection (page 255, figure 2). Perhaps, Applicant believes this second level is having two bits instead of one. However, this is not the case the second level is the BPST itself, which is composed of two-bit counters. Figure 2 on page 255 of **Patt** clearly shows that the BPST selects from two choices P1 and P2. A one-bit to n-bit counter suffices for such a purpose, as one bit provides enough information for selecting from two choices. Fifth, Applicant asserts **Patt** and **Talcott** would be aware of the motivation for a one-bit counter and have chosen not to use a one-bit counter. This may or may not be true, however it has no bearing on whether or not the modification is obvious to make use of one-bit counters. Sixth, the principle operation of **Patt** or **Talcott** is not changed by the introduction of a one-bit counter. The previously stated choice between two is represented by one-bit (0 or 1, either-or).

[ii] Against the rejections of claims 21-29 and 31-40 in that (page 12 of paper received 04 March 2004): [1] **Talcott** does not disclose fetch-based accessing; [2] **Patt** does not disclose claim 22 (paper received 4 March 2004, page 14-15); [3] claim 25 is not disclosed by the combined references, nor is there motivation for combination; [4] claim 29 as above for claim 10 and further no evidence of similarity between two-level single predictor and two-level hybrid predictor and no expectation of success; [5] no disclosure of claim 34 (page 18 of Applicant's response); and [6] **Patt** does not disclose

prediction bits and thus no updating or maintaining (with regard to claims 35-37). First, **Talcott** did disclose fetch-based accessing (column 4, lines 15-18). Whether or not **McFarling** disclosed fetch-based accessing has no direct influence on **Talcott**. **Talcott** stated "... are part of a branch predictor that updates the prediction information in BPT 15 *in accordance* with the gshare mechanism originally disclosed in McFarling" (emphasis added; **Talcott**: column 4, lines 20-23). **Talcott** is clearly drawing on the previous knowledge of **McFarling**. This of course, says nothing as to what **Talcott** taught above or beyond **McFarling**. Second, the limitations disclosed in claim 22 are obvious in view of the cited portions of **Patt**. **Patt** did not *explicitly* state the limitations, however one of ordinary skill in the art would recognize that for a predictor to be accurate it would have been obvious to record values within the predictor based upon branches taken. Further supporting this conclusion is the fact that **Patt** references *recording* values in the BPST, which is a "predictor of predictors". Third, the limitations of claim 25 are disclosed by the cited prior art in *combination*, not separately. Considering the valid obvious/motivation statements of the base claim 21, the *modified* **Patt** provides selecting between the most accurate of two predictors. Fourth, in regard to claim 29, the motivation of claim 10 is proper as explained above and thus applied here. The contested language of the claim 29 rejection has been removed, as it is not necessary for obviousness. It was merely directed toward the two level similarities of structure. Fifth, the obviousness of the previously stated rejection is proper. **Talcott** leaves open the question of a fetch group size (column 3, lines 15-25). Additionally, one of ordinary skill in the art would recognize the benefit of less complexity (less cost

and less hardware required). More to the point, **Talcott** indicates the obviousness of

adjusting the counters in the counter predictor/table to match exactly (qualifying for "not

less than") the number of instructions in a fetch group (column 4, lines 15-18). Sixth,

Patt and **Talcott** in combination did disclose the first and second bits as indicated and

as such did indicate updating and maintaining those bits. **Patt** discussed selecting

between at least *two* predictors (page 255, figure 2) then in proper combination, **Patt**

was modified as to the specifics of those two predictors (bimodal and fetch-based).

Thus, **Patt**'s operation of updating and maintaining appropriate bits for efficient branch

prediction apply to the **Patt** and **Talcott** combination.

[iii] Against the rejections of claims 23, 26, 27 and 40 in that (page 22 of paper

received 04 March 2004): [1] **McFarling** does not teach shifting in a preselected

prediction value for each fetch group; [2] the cited prior art does not teach claim 27,

similar to claim 37; and [3] no motivation to combine for claim 40, related to claim 23.

First, **McFarling** is used in combination with **Talcott**, which clearly uses a fetch group

and a history register (column 3, lines 1-7; column 3, line 58 to column 4, line 25).

Furthermore, **Talcott** draws attention to **McFarling** (column 4, line 23). **McFarling**

defines a history register as a shift register (page 6, section 5). Thus, it would have

been obvious to one of ordinary skill in the art at the time of invention to implement the

history register of **Talcott** as applying to fetch groups and thus shifting (from **McFarling**)

for fetch groups (see above rejection). Second, Applicant is directed toward the

argument for claims 37 above (response ii, 6). Third, Applicant is directed toward the

argument for claim 23 and it is noted there is a motivation to combine for claim 40.

Finally, it is believed the above responses cover all of Applicant's raised issues.

All other claims not argued correlate to the above or are dependent upon the above

responses. Thus, the rejections are maintained.

Conclusion

6.   Applicant's amendment necessitated the new ground(s) of rejection presented in

this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37

CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

Correspondence Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Wood whose telephone number is (703)305-3305. The examiner can normally be reached 7:30am - 5:00pm Monday thru Thursday and 7:30am - 4:00pm every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kakali Chaki can be reached on (703)305-9662. The fax phone numbers for the organization where this application or proceeding is assigned are (703)746-7239 for regular communications and (703)746-7238 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)305-3900.

William H. Wood
May 12, 2004

TODD INGBERG
PRIMARY EXAMINER